AMENDMENTS TO THE CLAIMS

- 1. (Currently Amended) A method in a computing system for managing a service request, the method comprising:
 - creating a service request within a first source system, wherein
 - the first source system detects a problem requiring service,
 - the service request is created in response to the detecting, and
 - the service request is created prior to a target system creating a customer-based service request in response to a customer report of the problem;
 - extracting service request information in a first source format associated with the first source system, wherein
 - the service request information in the first source format is extracted at least in part from the service request;
 - creating a service request object comprising the service request information in the first source format, wherein
 - the first source system and the target system reference the service request object during a course of a resolution of the service request;
 - converting the service request information in the first source format into <u>first</u> service request information in an intermediate format; [[and]]
 - converting the <u>first</u> service request information in the intermediate format into service request information in a target format, <u>wherein</u>
 - the target format is associated with the target system;
 - extracting service request information in a second source format [[that]], wherein

 the second source format is associated with a second source system that is, and
 the second source system is distinct from the first source system;
 - service request information in the second source format into <u>second</u> service request information <u>that-is</u> in the intermediate format; <u>and</u>
 - integrating the <u>first</u> service request information in the <u>first source</u> <u>intermediate</u> format and <u>the</u> second <u>service request information in</u> <u>source format into</u> the intermediate format, wherein

- 2 - Application No.: 10/809,927

the integrating is <u>performed</u> prior to the converting the first service request information in the intermediate format into <u>the service request</u> <u>information in</u> the target format.

- (Previously Presented) The method of claim 1, further comprising:
 using the service request information in the target format to perform at least one computer-implemented act comprising:
 displaying at least part of the service request in the target format, in response to the customer report of the problem.
- 3. (Canceled)
- 4. (Canceled)
- 5. (Previously Presented) The method of claim 1, wherein the service request object comprises a hierarchy of data components comprising a plurality of service request components, wherein each of the plurality of service request components comprises one or more of:
 - a service request common ID component;
 - a service request base data component;
 - a related parent area component;
 - a related root area component;
 - a related contract component;
 - a list of related contacts component;
 - a list of related account component;
 - a list of related owner component;
 - a status data component;
 - a related product component for defining internal and external products;
 - a related installed product component for defining customer assets;
 - a related business unit component; a list of related activity component; and
 - a service request custom data component.

-3 - Application No.: 10/809,927

- 6. (Previously Presented) The method of claim 5, wherein the service request base data component comprises one or more of:
 - an abstract component for summarizing the service request;
 - a channel source code component;
 - a closed date component for defining when the service request is closed;
 - a commit time component;
 - a description component;
 - a service request number component; and
 - a reported date component.
- 7. (Previously Presented) The method of claim 5, wherein the related parent area component comprises a parent area component, wherein

the parent area component comprises one or more of:

- a functional area common ID component;
- a base data component that can comprise a functional area name component;
- a list of related sub-areas component that can comprise any number of related sub-area components; and
- a functional area custom data component.
- 8. (Previously Presented) The method of claim 5, wherein the related root area component comprises a common ID for functional area.
- 9. (Currently Amended) The method of claim 5, wherein the related contract component comprises one or more of:
 - a contract common ID component; and
 - a contract base data component, wherein

the contract base data component comprises one or more of:

- a related contract description component;
- an effective-to date component;
- a type code component;
- a contract number component;
- an effective-from date component;

- 4 - Application No.: 10/809,927

- a response code component;
- a response time component; and
- a related contract custom data component.
- 10. (Previously Presented) The method of claim 5, wherein the list of related contact component comprises a plurality of related contact components, wherein each of the plurality of related contact components comprises one or more of:
 - a common ID for a party component;
 - a communication data for a party component;
 - a data cleansing data component;
 - a list of address of a party component;
 - a list of relationships that a party can have with other entities component;
 - a list of alternate ID component;
 - a list of license data component;
 - a custom party data component;
 - a person base data component;
 - a privacy data component; and
 - a related contact custom data component.
- 11. (Previously Presented) The method of claim 5, wherein the list of related account component comprises a plurality of related account components, wherein each of the plurality of related account components comprises one or more of:
 - a common ID for a party component;
 - a communication data for a party component;
 - a data cleansing data component;
 - a list of address of a party component;
 - a list of relationships that a party can have with other entities component;
 - a list of alternate ID component;
 - a list of license data component;
 - a custom party data component;
 - a party base data component; and

- 5 - Application No.: 10/809,927

a related contact custom data component.

- 12. (Previously Presented) The method of claim 5, wherein the list of related owner component comprises a plurality of related owner components, wherein each of the plurality of related owner components comprise one or more of:
 - a common ID for a party component;
 - a communication data for a party component;
 - a data cleansing data component;
 - a list of address of a party component;
 - a list of relationships that a party can have with other entities component;
 - a list of alternate ID component;
 - a list of license data component;
 - a custom party data component;
 - a person base data component;
 - a privacy data component; and
 - a related contact custom data component.
- 13. (Previously Presented) The method of claim 5, wherein the status data component comprises one or more of:
 - a priority code component;
 - a severity code component;
 - a status code component; and
 - a sub-status code component.
- 14. (Previously Presented) The method of claim 5, wherein the related product component comprises one or more of:
 - a product ID component;
 - a product base data component;
 - a product sales data component;
 - a configuration data component;
 - a related product line component;
 - a list of price type component;

- 6 - Application No.: 10/809,927

```
a list of related inventory location component;
```

- a list of related product component;
- a list of related business unit component; and
- a product custom data component.
- 15. (Previously Presented) The method of claim 5, wherein the related installed product component comprises one or more of:

```
a common ID of an installed product component;
```

an installed product base data component;

a related parent installed product component;

a pricing data component;

a related product component a list of related party component;

a list of related order component;

a related inventory location component;

a related business unit component;

a list of attribute component;

a custom data component; and

a list of related installed product component, wherein

the list of related installed product component comprises one or more of:

an external product ID component;

an external product base data component;

an external product sales data component;

an external product configuration data component;

an external product related product line component;

an external product list of price type component;

an external product list of related inventory location component;

an external product list of related product component;

an external product list of related business unit component; and

an external product custom data component.

-7 - Application No.: 10/809,927

- 16. (Previously Presented) The method of claim 5, wherein the related business unit component comprises a related business unit common ID.
- 17. (Previously Presented) The method of claim 5, wherein the list of related activity component comprises a plurality of related activity components, wherein each of the plurality of related activity components comprise one or more of:

```
an access code component;
a comment on action taken component;
a duration component;
an end date component;
an activity number component;
a reason code component;
a start date component;
a task description of action taken component;
a type code component; and
a related owner component.
```

18. (Currently Amended) One or more non-transitory computer-readable storage mediums carrying one or more sequences of instructions for managing a service request, wherein execution of the one or more sequences of instructions by one or more processors causes the one or more processors to perform:

creating a service request within a first source system, wherein

the source system detects a problem requiring service,

the service request is created in response to the detecting, and

the service request is created prior to a target system creating a customer-based

service request in response to a customer report of the problem;

extracting service request information in a first source format associated with the source

system, wherein

the service request information in the first source format is extracted at least in

part from the service request;

- 8 - Application No.: 10/809,927

creating a service request object comprising the service request information in the first source format, wherein

the first source system and the target system reference the service request object during a course of a resolution of the service request;

- converting the service request information in the first source format into <u>first</u> service request information in an intermediate format; [[and]]
- converting the <u>first</u> service request information in the intermediate format into service request information in a target format, <u>wherein</u>

the target format is associated with the target system;

- extracting service request information in a second source format [[that]], wherein

 the second source format is associated with a second source system that is, and
 the second source system is distinct from the first source system;
- converting the service request information in the second source format into second service request information that is in the intermediate format; and
- integrating the <u>first</u> service request information in the <u>first source</u> <u>intermediate</u> format and <u>the</u> second <u>service request information in</u> <u>source format into</u> the intermediate format, wherein
 - the integrating is <u>performed</u> prior to the converting the first service request information in the intermediate format into <u>the service request</u> <u>information in</u> the target format.
- 19. (Previously Presented) The one or more non-transitory computer-readable storage mediums of claim 18, further comprising:
 - using the service request information in the target format to perform at least one computer-implemented act comprising:
 - displaying at least part of the service request in the target format, in response to the customer report of the problem.
 - 20. (Currently Amended) A system, comprising: one or more processors; and

- 9 - Application No.: 10/809,927

one or more non-transitory computer-readable storage mediums coupled to the one or more processors, wherein

the one or more non-transitory computer-readable storage mediums emprises

comprise computer instructions that when executed cause the one or more processors to perform:

creating a service request within a first source system, wherein
the first source system detects a problem requiring service,
the service request is created in response to the detecting, and
the service request is created prior to a target system creating a
customer-based service request in response to a customer
report of the problem,

extracting service request information in a first source format associated with the first source system, wherein

the service request information in the first source format is

extracted at least in part from the service request,

creating a service request object comprising the service request

information in the first source format, wherein

the first source system and the target system reference the service request object during a course of a resolution of the service request,

converting the service request information in the first source format into

first service request information in an intermediate format, [[and]]

converting the first service request information in the intermediate format

into service request information in a target format, wherein

the target format is associated with the target system [[;]],

extracting service request information in a second source format [[that]],

wherein

the second source format is associated with a second source system that is, and

the second source system is distinct from the first source system
[[;]] 1

- 10 - Application No.: 10/809,927

integrating the <u>first</u> service request information in the <u>first source</u>

<u>intermediate</u> format and <u>the</u> second <u>service request information</u>

<u>in source format into</u> the intermediate format, wherein

the integrating is <u>performed</u> prior to the converting the

first service request information in the intermediate

format into <u>the service request information in</u> the target format.

21. (Previously Presented) The system of claim 20, wherein the service request object comprises a hierarchy of data components comprising a plurality of service request components, wherein each of the plurality of service request components comprises one or more of:

```
a service request common ID component;
```

- a service request base data component;
- a related parent area component;
- a related root area component; a related contract component;
- a list of related contacts component;
- a list of related account component;
- a list of related owner component;
- a status data component;
- a related product component for defining internal and external products;
- a related installed product component for defining customer assets;
- a related business unit component;
- a list of related activity component; and
- a service request custom data component.
- 22. (Previously Presented) The system of claim 21, wherein the service request base data component comprises one or more of:

- 11 - Application No.: 10/809,927

- an abstract component for summarizing the service request;
- a channel source code component;
- a closed date component for defining when the service request is closed;
- a commit time component;
- a description component;
- a service request number component; and
- a reported date component.
- 23. (Previously Presented) The system of claim 21, wherein the related parent area component comprises a parent area component, wherein the parent area component comprises one or more of:
 - a functional area common ID component;
 - a base data component that can comprise a functional area name component;
 - a list of related sub-areas component that can comprise any number of related sub-area components; and
 - a functional area custom data component.
- 24. (Previously Presented) The system of claim 21, wherein the related root area component comprises a common ID for functional area.
- 25. (Currently Amended) The system of claim 21, wherein the related contract component comprises one or more of:
 - a contract common ID component; and
 - a contract base data component, wherein contract base data component comprises one or more of:
 - a related contract description component;
 - an effective-to date component;
 - a type code component;
 - a contract number component;
 - an effective-from date component;
 - a response code component;
 - a response time component; and

- 12 - Application No.: 10/809,927

a related contract custom data component.

- 26. (Previously Presented) The system of claim 21, wherein the list of related contact component comprises a plurality of related contact components, wherein each of the plurality of related contact components comprises one or more of:
 - a common ID for a party component;
 - a communication data for a party component;
 - a data cleansing data component;
 - a list of address of a party component;
 - a list of relationships that a party can have with other entities component;
 - a list of alternate ID component;
 - a list of license data component;
 - a custom party data component;
 - a person base data component;
 - a privacy data component; and
 - a related contact custom data component.
- 27. (Previously Presented) The system of claim 21, wherein the list of related account component comprises a plurality of related account components, wherein each of the plurality of related account components comprises one or more of:
 - a common ID for a party component;
 - a communication data for a party component;
 - a data cleansing data component;
 - a list of address of a party component;
 - a list of relationships that a party can have with other entities component;
 - a list of alternate ID component;
 - a list of license data component;
 - a custom party data component;
 - a party base data component; and
 - a related contact custom data component.

- 13 - Application No.: 10/809,927

- 28. (Previously Presented) The system of claim 21, wherein the list of related owner component comprises a plurality of related owner components, wherein each of the plurality of related owner components comprise one or more of:
 - a common ID for a party component;
 - a communication data for a party component;
 - a data cleansing data component;
 - a list of address of a party component;
 - a list of relationships that a party can have with other entities component;
 - a list of alternate ID component;
 - a list of license data component;
 - a custom party data component;
 - a person base data component;
 - a privacy data component; and
 - a related contact custom data component.
- 29. (Previously Presented) The system of claim 21, wherein the status data component comprises one or more of:
 - a priority code component;
 - a severity code component;
 - a status code component; and
 - a sub-status code component.
- 30. (Previously Presented) The system of claim 21, wherein the related product component comprises one or more of:
 - a product ID component;
 - a product base data component;
 - a product sales data component;
 - a configuration data component;
 - a related product line component;
 - a list of price type component;
 - a list of related inventory location component;

- 14 - Application No.: 10/809,927

```
a list of related product component;
a list of related business unit component; and
a product custom data component.
```

31. (Previously Presented) The system of claim 21, wherein the related installed product component comprises one or more of:

```
a common ID of an installed product component;
an installed product base data component;
a related parent installed product component;
a pricing data component;
a related product component a list of related party component;
a list of related order component;
a related inventory location component;
a related business unit component;
a list of attribute component;
a custom data component; and
a list of related installed product component, wherein
       the list of related installed product component comprises one or more of:
       an external product ID component;
       an external product base data component;
       an external product sales data component;
       an external product configuration data component;
       an external product related product line component;
       an external product list of price type component;
       an external product list of related inventory location component;
       an external product list of related product component;
       an external product list of related business unit component; and
       an external product custom data component.
```

32. (Previously Presented) The system of claim 21, wherein the related business unit component comprises a related business unit common ID.

- 15 - Application No.: 10/809,927

33. (Previously Presented) The system of claim 21, wherein the list of related activity component comprises a plurality of related activity components, wherein each of the plurality of related activity components comprises one or more of:

```
an access code component;
a comment on action taken component;
a duration component;
an end date component;
an activity number component;
a reason code component;
a start date component;
a task description of action taken component;
a type code component; and
a related owner component.
```

34. (Currently Amended) The method of claim 1, wherein the service request information comprises a report of a loss of a service for the customer.

- 16 - Application No.: 10/809,927